CLAIMS

What is claimed is:

	1.	A composition comprising the reaction product of a trivalent metal salt other than
5		chromium salts, an acid phosphorous compound, and an aluminum hydroxy chloride.
	2.	The composition of claim 1 wherein the trivalent metal salt is a Group 8 trivalent metal salt.
10	3.	The composition of claim 2 wherein the trivalent metal salt is a ferric metal salt.
	4.	The composition of claim 3 wherein the trivalent metal salt is a ferric halide.
15	5.	The composition of claim 3 wherein the trivalent metal salt is selected from the group consisting of FeCl ₃ , Fe (SO ₄) ₃ , FeBr ₃ and Fe (NO ₃) ₃ , and mixtures thereof.
	6.	The composition of claim 2 wherein the trivalent metal salt and is a blend of one or more Group 8 trivalent metal salts.
20	7.	The composition of claim 2 wherein the acid phosphorous compound is selected from the group consisting of acid phosphites, acid phosphates and phosphonic acid.

- 8. The composition of claim 7 wherein the acid phosphite is phosphorous acid and the acid phosphate is phosphoric acid.
- 9. The composition of claim 7 where the acid phosphorous compound is selected form the group of (Al (H₂PO₄)₃ XH₂O), H₃PO₄, H₃PO₃, NaH₂PO₄, Na₂HPO₄, CH₃C (OH) (PO₃H₂), H₂C=CHP(O) (OH)₂, (CH₃O₂) P₂ (O)H, (NH₄)₂HPO₄, NH₄H₂PO₄, K₂HPO₄ and KH₂PO₄.
- 10. The composition of claim 7 wherein the acid phosphorous compound is of the formula $M_nH_xPO_q$, where M= a cation such as a metal or ammonium, n= 0 to 2, x= 1 to 3, and q= 3 or 4.

10

15

- 11. The composition of claim 2 wherein the aluminum hydroxy chloride is of the chemical formula $Al_2(OH)_yCl_z$ where y=.1 to 5 and z=1 to 5.9.
- 12. The composition of claim 11 wherein y=1.8 to 5 and z=1 to 4.2.
- 13. The composition of claim 2 wherein the trivalent metal salt is selected from the group of FeCl₃, Fe (SO₄)₃, FeBr₃ and Fe(NO₃)₃, the acid phosphorous compound is selected from the group (Al (H₂PO₄)₃ XH₂O), H₃PO₄, H₃PO₃, NaH₂PO₄, Na₂HPO₄ (NH)₂HPO₄, NH₄H₂PO₄ and K₂HPO and KH₂PO₄, and the aluminum hydroxy chloride is of the chemical formula Al₂ (OH)_yCl_z where y= 1.8 to 5 and z= 1 to 4.2.

- 14. The composition of claim 13 wherein the trivalent metal salt is FeC1₃, the acid phosphorous compound is (Al (H₂PO₄)₃ XH₂O), and the aluminum hydroxy chloride is Al₂ (OH)₅C1.
- The composition of claim 14 wherein the volume of FeCl₃ (about 40% active raw material in water) is 3 to 30 parts, the volume of (Al (H₂PO₄)₃ XH₂O), (about 50 wt% in water) is 0.5 to 10 parts, and the volume of Al₂ (OH)₅C1 (about 50 wt% in water) is 5 to 20 parts.
- 16. The composition of claim 15 wherein the volume of FeCl₃ is 10 parts, the volume of (Al (H₂PO₄)₃ XH₂O) is 3 parts, and the volume of Al₂ (OH)₅Cl is 5 parts.
 - 17. The composition of claim 2 wherein AlCl₃ is utilized as the trivalent metal salt.
- 15 18. A composition having an aluminum-27 NMR peak at ca. –26.2 ppm relative to aluminum oxide at 0 ppm.

- 19. The composition of claim 18 wherein the composition is reaction product of iron (III) chloride, monoaluminum phosphate and aluminum chlorohydrate.
- 20. A blend comprising the product of AlCl₃, FeCl₃, and an acid phosphorous compound.

- 21. The blend of claim 20 wherein the acid phosphorous compound is (Al (H₂PO₄)₃ XH₂O).
- 22. The composition of claim 2 further comprising the addition of CaCl₂ and EPI-DMA polyamine.
- 23. The composition of claim 2 further comprising the addition of p-DMDAAC.

10

15

- 24. A composition comprising the reaction product of a trivalent metal salt other than chromium salts, an acid phosphorous compound, and an aluminum hydroxy chloride, where:
 - a. the trivalent metal salt is one or more of the group of FeCl₃, Fe (SO₄)₃,
 FeBr₃, and Fe (NO)₃.
 - b. the acid phosphorous compound is selected from the group consisting of (Al (H₂PO₄)₃ XH₂O), H₃PO₄, H₃PO₃, NaH₂PO₄, Na₂HPO₄, CH₃C (OH) (PO₃H₂), H₂C=CHP(O) (OH)₂, (CH₃O₂)P₂ (O)H, (NH₄)₂HPO₄, NH₄H₂PO₄, K₂HPO₄ and KH₂PO₄; and
 - c. the aluminum hydroxy chloride is one of the formula Al_2 (OH)_yCl_z where y = 1.8 to 5 and z = 1 to 4.2.
- 25. The composition of claim 24 wherein the trivalent metal salt is FeC1₃, the acid phosphorous compound is (Al (H₂PO₄)₃ XH₂O), and the aluminum hydroxy chloride is Al₂(OH)₅C1.

26. The composition of claim 23 wherein the trivalent metal salt is FeCl₃ (about 40% active raw material in water) in a volume of 10 parts water, the acid phosphorous compound is (Al (H₂PO₄)₃ • XH₂O), (about 50 wt% in water) in a volume of 3 parts, the aluminum hydroxy chloride is Al₂ (OH)₅Cl (about 50 wt% in water) in a volume of 5 parts, and:

5

10

15

- (a) the FeCl₃ is diluted by 10 to 40% prior to the preparation of the composition and the subsequent addition of p-DMDAAC; or
- (b) the composition is diluted by 10 to 40% prior to the addition of the p-DMDAAC.
- 27. The composition of claim 23 wherein the trivalent metal salt is FeC1₃ (about 40% active raw material in water) in a volume of 10 parts, the acid phosphorous compound is phosphoric acid (about 85 wt% in water) in a volume of 3 parts, the aluminum hydroxy chloride is Al₂ (OH)₅C1 (about 50 wt% in water) in a volume of 5 parts, and:
 - (a) the FeCl₃ is diluted by 10 to 80% prior to the preparation of the composition and the subsequent addition of the p-DMDAAC; or
 - (b) the composition is diluted by 10 to 80% prior to the addition of the p-DMDAAC.
- 28. A process for the production of a reaction product comprising blending an aqueous solution of a Group 8 trivalent metal salt, an acid phosphorous compound and an aluminum hydroxy chloride.

- 29. The process of claim 28 wherein the trivalent metal salt is first blended with the acid phosphorous compound, and the aluminum hydroxy chloride is subsequently added thereto.
- The process of claim 28 wherein the trivalent metal salt is first blended with the aluminum hydroxy chloride, and the acid phosphorous compound is subsequently added thereto.
- The process of claim 28 wherein the trivalent metal salt is selected from the group consisting of FeCl₃, Fe (SO₄)₃, FeBr₃, and Fe (NO₃) and mixtures thereof.
 - The process of claim 28 wherein the acid phosphorous compound is selected from the group consisting of (Al (H₂PO₄)₃ XH₂O), H₃PO₄, H₃PO₃, NaH₂PO₄, Na₂HPO₄, CH₃C (OH), (PO₃H₂), H₂C=CHP(O) (OH)₂, (CH₃O₂) P₂ (O)H, (NH₄)₂HPO₄, NH₄HPO₄, NH₄HPO₄, K₂HPO₄ and KH₂PO₄.
 - 33. The process of claim 28 wherein the aluminum hydroxy chloride is one of the formula Al_2 (OH)_yCl_z where y = 0.1 to 5 and z = 1 to 5.9.
- The process of claim 33 wherein y = 1.8 to 5 and z = 1 to 4.2.

35. The process of claim 28 further comprising the addition of CaCl₂ and Epi-DMA polyamine.

36. The process of claim 28 further comprising the addition of p-DMDAAC.

5

10

15

- 37. The process of claim 36 wherein the trivalent metal salt is FeCl₃ (about 40% active raw material in water) in a volume of 10 parts, and the acid phosphorous compound is (Al (H₂PO₄)₃ XH₂O) (about 50 wt% in water) in a volume of 3 parts, the aluminum hydroxy chloride is Al₂ (OH)₅Cl (about 50 wt% in water) in a volume of 5 parts, and:
 - (a) the FeCl₃ is diluted by 10 to 40% prior to the preparation of the composition of the composition and the subsequent addition of p-DMDAAC; or
 - (b) the composition is diluted by 10 to 40% prior to the addition of the p-DMDAAC.
- 38. The process of claim 36 wherein the trivalent metal salt is FeCl₃ (about 40% active raw material in water) in a volume of 10 parts, and the acid phosphorous compound is phosphoric acid (about 85 wt% in water) in a volume of 3 parts, the aluminum hydroxy chloride is Al₂(OH)₅Cl (about 50 wt% in water) in a volume of 5 parts, and:
 - (a) the FeCl₃ is diluted by 10 to 80% prior to the preparation of the composition and the subsequent addition of the p-DMDAAC; or
 - (b) the composition is diluted by 10 to 80% prior to the addition of the p-DMDAAC.

- A composition of matter comprising the product produced according to the process of claim 28.
- 40. A process for treating a solution comprising contacting the solution with an effective amount of the composition of claim 2.

10

15

- 41. A process for treating a solution comprising contacting the solution with an effective amount of the product produced according to the process of claim 28.
- 42. The process of claim 40 wherein the solution is selected from the group consisting of general wastewater, municipal wastewater, wastewater containing metals, papermaking wastewater, water containing organic compounds, water containing chemical compounds, water containing biological compounds, poultry processing waste, ink containing solutions, raw surface water, oil/water mixtures, colored solutions, coal waste, mineral processing water, oily waste, raw municipal drinking water, water containing suspended solids, water containing paint solids, electrolytic primer coating wastewater and industrial wastewater.
 - 43. The process of claim 41 wherein the solution is selected from the group consisting of general wastewater, municipal wastewater, wastewater containing metals, papermaking wastewater, water containing organic compounds, water containing chemical compounds, water containing biological compounds, poultry processing waste, ink containing solutions, raw surface water, oil/water mixtures, colored

solutions, coal waste, mineral processing water, oily waste, raw municipal drinking water, water containing suspended solids, water containing paint solids, electrolytic primer coating wastewater and industrial wastewater.

44. The process of claim 40 wherein the product is utilized in enhanced coagulation to reduce at least a portion of the total organic contaminants.

5

10

45. The process of claim 41 wherein the product is utilized in enhanced coagulation to reduce at least a portion of the total organic contaminants.